



Office of the Director of Boilers,

4th Floor, Shram Bhavan, Near Gun House, Rustom Cama Marg, Khanpur, Ahmedabad-380001

Phone : 079- 25505066- 25505067 Fax: 079- 25505061

e-mail :- cisbnsn-lab-ahd@gujarat.gov.in & Web site :- <http://www.boiler.gujarat.gov.in>

No. DOB/TECH/2016/

5186

Date = 8 MAR 2016

To,
The Director,
✓ SUPER QUALI CAST (INDIA) PVT. LTD.,
Behind Rajkamal Petrol Pump,
Off Gondal Road, Punitnagar Road,
Kothariya,
Rajkot - 360 004.

Sub: Approval of your foundry and In -house Laboratory for
Chemical and Physical testing for manufacturing of
Castings under inspection of IBR - 1950.

- Ref: 1. Your letter no. nil dtd. 06/07/2015.
2. Your letter no. nil dtd. 25/10/2015.
3. Letter no. DDB / RAJ / 2016 / 830 dtd. 02/03/2016 of Deputy
Director of Boilers, Rajkot having report for verification of
your foundry & In -house testing laboratory facilities, staff,
tools & tackles etc.
4. Your letter no. nil dtd. 08/03/2016.
5. Government of Gujarat Notification no. GR - 2007 - 73 -
IBA - 1099 - 1895 (I) - M - (3) dtd. 31/08/2007.

Sir,

With reference to above you are permitted for **Two year** for manufacturing
of **castings & In -house Laboratory for Chemical / Physical testing** under
inspection of **I.B.R - 1950** subject to the following conditions.

1. Pouring of heat must be done in the presence of the **Competent Person**.
2. Drawing of the casting must be got approved from the undersigned
before doing heat pouring.
3. **Chemical / Physical testing** to be carried out in your **In-house laboratory**
in presence of **Competent Person**.